

2026

Price List

For the Month of June

SN	Description	Click 2 Go
1	Term & Conditions	Go
2	HD Cameras	Go
3	HD Orange Recorder	Go
4	IPC Cameras	Go
5	NVR	Go
6	Speed Dome	Go
7	O Category	Go
8	VDP / T&A	Go
9	SD Card/ 4G kam	Go
10	Ezykam	Go
11	ADA Home Solution	Go

S.N.	Term & Conditions
1	This Price List is effective from 1st June, 2026 Prices are subject to change with 7 days notice except for obvious errors, which are subject to correction at any time.
2	All prices referred above is exclusive of applicable GST and Courier Charges, which shall be applicable on actuals.
3	All products are subject to manufacturer warranty terms and policies.
4	Warranty period shall be effective from the date of invoice. Warranty only applies where a defect has arisen, wholly or substantially, as a result of faulty manufacture, parts or workmanship during the Warranty Period.
5	"This Warranty does not cover: a) Any physical and/or electrical damage / snag resulting from, but not limited to faults that arise as a result of negligence, willful abuse, accident, malicious destruction, leakage, fire exposure to liquid or infiltration of foreign particles, failure to follow operating instructions, acts of nature/god or improper use. b) The replacement of cosmetic components or accessories or accidental damage. c) Incorrect installation. d) Losses caused by unforeseeable events (including but not limited to floods, lightning storms, frost or other bad weather conditions, acts of God), fair wear and tear, cosmetic damage, plastic items, corrosion or transit damage. e) Use of batteries, power supplies or any other sources of power not specifically recommended by the manufacturer. f) Any repair work performed by the end user or any non-authorized repair center. g) Notwithstanding anything to the contrary, should any person other than an authorized representative of Aditya Infotech Ltd/ Service Provider attempt a repair to your appliance, the Warranty will be invalid.
6	Must provide the original proof of purchase which demonstrates compliance with the above conditions to receive any services under this warranty.
7	Warranty terms do not include any shipping charges, postal cost or other incidental charges in any manner whatsoever. If our investigation shows that malfunction was caused by the user; repair and shipping shall be paid by the customer.
8	All products listed in the enclosed brochures are exclusive of any hard disk or storage equipment or accessories.
9	In the event, the products or material becomes obsolete due to advancement in the technology upgradation, AIL shall not be held liable for any such loss or damage caused to the Buyer. Notwithstanding anything as mentioned herein, in such an event AIL may substitute the obsolete product/material with the upgraded products subject to payment of the differential amount by the customer.
10	Payment Terms – As per Credit Policy already sent by Credit Control Department. Save as expressly provided, under no circumstances does this warranty cover consequential damages.

CP PLUS HD Series of Cameras						
Series	Model	Type	Res.	Lens	IR	SPP
2.4MP Eco Lite Range - White Glass Series						
E	CP-URC-DC24PL3-0360	IR Dome Plastic	2.4 MP	3.6mm	20M	715
E	CP-URC-TC24PL3-0360	IR Bullet Plastic	2.4 MP	3.6mm	20M	785
E	CP-URC-DC24PL3C-0360	Dome Built-in mic	25/30fps@2.4MP	3.6mm	20M	875
E	CP-URC-TC24PL3C-0360	Bullet Built-in mic	25/30fps@2.4MP	3.6mm	20M	945
2.4MP Range						
E	CP-URC-DC24PL3C-L-0360	IR Dome Plastic	2.4 MP	3.6mm	30M/20M	1145
E	CP-URC-TC24PL3C-L-0360	IR Bullet Plastic	2.4 MP	3.6mm	30M/20M	1200
2 way Audio 2.4MP Range						
E	CP-UMC-DA24L4-L	IR Dome	2.4 MP	3.6mm	40M	1315
E	CP-UMC-TA24L3-L	IR Bullet	2.4 MP	3.6mm	30M	1370
2.4MP Guard+ Range						
M	CP-GPC-DA24PL2C-SE-0360	Dome	25/30fps@2.4MP	3.6mm fixed lens (2.8mm Optional)	20M	1420
M	CP-GPC-TA24PL2C-SE-0360	Bullet	25/30fps@2.4MP	3.6mm fixed lens (2.8mm Optional)	20M	1480
5MP Range						
	Model	Type	Res.	Lens	IR	SPP
M	CP-URC-DC51PL3C	Dome IR	20fps @5MP	3.6 MM Lens	30M	1285
M	CP-URC-TC51PL3C	Bullet IR	20fps @5MP	3.6 MM Lens	30M	1345
5MP Dual IR						
M	CP-URC-DC51PL3C-L-0360	Dome	20fps @5MP	3.6mm fixed lens (2.8mm Optional)	30M	1575
M	CP-URC-TC51PL3C-L-0360	Bullet	20fps @5MP	3.6mm fixed lens (2.8mm Optional)	30M	1635
M	CP-GPC-DA50PL2C-SE-0360					1755
M	CP-GPC-TA50PL2C-SE-0360					1810

HD Orange Recorder									
Sr.	Category	Model without HDD	Compression Resolution			Sata Support	Audio	Casing	SPP
	2 Way Talk								
E	4CH	CP-UVR-0401E1V-I	H.265	1MP/2MP	720P@15fps, 1080N@15fps	1	1	METAL SMALL	2960
E	8C H	CP-UVR-0801E1V-I	H.265	1MP/2MP	720P@15fps, 1080N@15fps	1	1	METAL SMALL	4020
E	16CH	CP-UVR-1601E1V-I	H.265		720P@15fps	1	1	METAL	6435
M	4CH	CP-UVR-0401F1V-I			720P@25fps, 1080P@15fps, 4M-N@15fps, 5M-N@10fps	1	1	METAL	4470
M	8CH	CP-UVR-0801F1V-I	H.265	2MP/4MP/5MP	720P@25fps, 1080P@15fps, 4M-N@15fps	1	1	METAL SMALL	6435
M	16CH	CP-UVR-1601F1V-I	H.265	2MP/4MP/5MP	720P@25fps	1	1	METAL SMALL	12930
16 Channel Main									
E	16CH	CP-UVR-1601E1-IC2	H.265		720P@15fps	1	1	METAL	6435
M	16CH	CP-UVR-1601F1-IC	H.265	2MP/4MP/5MP	720P@25fps	1	1	METAL SMALL	10810
32 Channel Main									
H	32CH	CP-UVR-3201E2-I			1st channel 1080N/720P (1 fps–25/30 fps), others 1080N/720P (1 fps–15 fps)	2	1		20450
H	32Ch	CP-UVR-3201K2-I3-V2			All channels 5M-N@(1fps–10fps); 4M-N/1080P@(1fps–15fps); 1080N; 720P; 960H; D1; CIF@(1fps–25/30fps)	2	1		25260

Sr.	Model No	Type	Res.	Lens (mm)	IR(m)	Audio/ Built-in Mic	WDR	IP Rating	SD Card	SPP
2MP Camera										
E	CP-UNC-DA21L3C-Q-0280	Dome	2MP	2.8	30	Built-in Mic	No	IP67	No	2730
E	CP-UNC-DA21L3C-Q-0360	Dome	2MP	3.6	30	Built-in Mic	No	IP67	No	2730
E	CP-UNC-TA21L3C-Q-0360	Bullet	2MP	3.6	30	Built-in Mic	No	IP67	No	2790
M	CP-UNC-DA21L3C-LQ-0360	Dome	2MP	3.6	30	Built-in Mic	No	IP67	No	3090
M	CP-UNC-TA21L3C-LQ-0360	Bullet	2MP	3.6	30	Built-in Mic	No	IP67	No	3145
M	CP-UNC-DA21L3B-LQ-0360	Dome	2MP	3.6	30	Two-Way Audio	No	IP67	No	3325
M	CP-UNC-TA21L3B-LQ-0360	Bullet	2MP	3.6	30	Two-Way Audio	No	IP67	No	3385
H	CP-UNC-TA21L6C-Q-0600	Bullet	2MP	6	60	Built-in Mic	No	IP67	No	4135
4MP Camera										
E	CP-UNC-DA41L3C-D-Q-0360	Dome	4MP	3.6	30	Built-in Mic	Yes	IP67	No	3455
E	CP-UNC-TA41L3C-D-Q-0360	Bullet	4MP	3.6	30	Built-in Mic	Yes	IP67	No	3510
E	CP-UNC-DA41L3C-Q-0360	Dome	4MP	3.6	30	Built-in Mic	No	IP67	No	3340
E	CP-UNC-TA41L3C-Q-0360	Bullet	4MP	3.6	30	Built-in Mic	No	IP67	No	3395
M	CP-UNC-DA41L3C-D-LQ-0360	Dome	4MP	3.6	30	Built-in Mic	Yes	IP67	No	3830
M	CP-UNC-TA41L3C-D-LQ-0360	Bullet	4MP	3.6	30	Built-in Mic	yes	IP67	No	3890
M	CP-UNC-DA41L3C-LQ-0360	Dome	4MP	3.6	30	Built-in Mic	No	IP67	No	3710
M	CP-UNC-TA41L3C-LQ-0360	Bullet	4MP	3.6	30	Built-in Mic	No	IP67	No	3770
E	CP-UNC-DA41L3B-D-LQ-0360	Dome	4MP	3.6	30	Two-Way Audio	Yes	IP67	No	3975
E	CP-UNC-TA41L3B-D-LQ-0360	Bullet	4MP	3.6	30	Two-Way Audio	Yes	IP67	No	4035
M	CP-UNC-TA41L6C-D-Q-0600	Bullet	4MP	6	60	Built-in Mic	Yes	IP67	No	4930
6MP Camera										
M	CP-UNC-DA61L3C-LQ-0360	Dome	6MP	3.6	30	Built-in Mic	No	IP67	No	4930
M	CP-UNC-TA61L3C-LQ-0360	Bullet	6MP	3.6	30	Built-in Mic	No	IP67	No	4990
8MP Camera										
M	CP-UNC-DA81L3C-LQ-0360	Dome	8MP	3.6	30	Built-in Mic	No	IP67	No	7005
M	CP-UNC-TA81L3C-LQ-0360	Bullet	8MP	3.6	30	Built-in Mic	No	IP67	No	7065

Ser.	Model No	Ch.	Recording / Transfer rate	Prev / playback	HDD	SPP
E	CP-UNR-104F1 (without HDD)	4 Ch.	80Mbps/80Mbps	Up to 8 MP Resolution for Preview and Playback	1 SATA	4080
E	CP-UNR-108F1 (without HDD)	8 Ch.	80Mbps/80Mbps	Up to 8 MP Resolution for Preview and Playback	1 SATA	4655
E	CP-UNR-4K2041-V4 (without HDD)	4 Ch.	80Mbps/80Mbps	Up to 8 MP Resolution for Preview and Playback	1 SATA	5335
E	CP-UNR-4K2081-V4 (without HDD)	8Ch.	80Mbps/80Mbps	Up to 8 MP Resolution for Preview and Playback	1 SATA	5910
E	CP-UNR-4K2161-V4 (without HDD)	16 Ch.	80Mbps/80Mbps	Up to 12MP Resolution for Preview and Playback	1 SATA	7015
M	CP-UNR-4K2162-V3 (without HDD)	16 Ch.	160Mbps/160Mbps	Up to 8MP Resolution for Preview and Playback	2 SATA	8580
2/4/8 SATA 4K Series						
M	CP-UNR-4K4082-V4	8 Ch.	200Mbps	Up to 8MP Resolution for Preview and Playback	2 SATA	8580
M	CP-UNR-4K4162-V4	16 Ch	160Mbps	Up to 8MP Resolution for Preview and Playback	2 Sata	10170
H	CP-UNR-4K4322-V4 (without HDD)	32 Ch	160Mbps	Up to 8MP Resolution for Preview and Playback	2 Sata	13330
H	CP-UNR-4K4164-FI (without HDD)	16 Ch	256Mbps	Up to 8MP Resolution for Preview and Playback	4 Sata	21775
H	CP-UNR-4K4324-FI (without HDD)	32 Ch	256Mbps	Up to 8MP Resolution for Preview and Playback	4 Sata	28390
H	CP-UNR-4K5644-FI (without HDD)	64 Ch	320Mbps	Up to 12MP Resolution for Preview and Playback	4 SATA	37295
H	CP-UNR-4K564R8-FI (Without HDD)	64 Ch	320Mbps	Up to 12MP Resolution for Preview and Playback	8 SATA	52325

Speed Dome			
Ser.	Model	Res. / Series	SPP
M	CP-UNP-D2521L10-DAQ	2MP 25X	29,675
M	CP-UNP-E3221L18-DAQ	2MP 32X	47,600
M	CP-UNP-E3241L18-DAQ	4MP 32X	54,100

CP PLUS O Category Price List			
Series	Model	Description	SPP
PoE Switches - (Performance Series)			
E	CP-ANW-HP4H2-N65	10/100 4 Port PoE with 2 10/100 Mbps Uplink (Power Budget : 65W)	1057
E	CP-UNW-HPU4H2-48	10/100 4 Port PoE with 2 10/100 Mbps Uplink (Power Budget : 48W)	1057
E	CP-ANW-HPU8H2-N12	10/100 8 Port PoE with 2 10/100 Mbps Uplink (Power Budget : 120W)	1333
E	CP-UNW-HPU8H2-96	10/100 8 Port PoE with 2 10/100 Mbps Uplink (Power Budget : 96W)	1333
M	CP-DNW-HPU8G2-96-v3	10/100 8 Port PoE with 2 10/100/1000 Mbps Uplink (96W)	2233
M	CP-ANW-HP16G2F1-N30	10/100 16 Port PoE with 2 10/100/1000 Mbps uplink & 1 SFP Uplink (Power Budget -300W)	7287
M	CP-ANW-HPU24G2F2-N30	10/100 24 Port PoE with 2 10/100/1000 Mbps uplink & 2SFP UPLINK (Power Budget 300W)	8110
Gigabit PoE Switches (Performance Series)			
M	CP-DNW-GPU4G2-48C	10/100/1000 4 Port PoE with 2 10/100/1000 Mbps Uplink (Power Budget 48W)	2233
M	CP-ANW-GPU8G2-N12	10/100/1000 8 Port PoE with 2 10/100/1000 Mbps Uplink (Power Budget 120W)	3115
M	CP-DNW-GPU8G2-96-v4	10/100/1000 8 Port PoE with 2 10/100/1000 Mbps Uplink (Power Budget 96W)	3115
M	CP-ANW-GPU8G2F2-N12	10/100/1000 8 Port PoE with 2 10/100/1000 Mbps Uplink & 2x10/100/1000Base-X SFP uplink (Power Budget 96W)	3291
H	CP-DNW-GPU16G2F2-20	10/100/1000 16 Port PoE with 2 10/100/1000 Mbps Uplink & 2x10/100/1000Base-X SFP uplink (Power Budget 200W)	9984
H	CP-DNW-GPU24G2F2-30	10/100/1000 24 Port PoE with 2 10/100/1000 Mbps Uplink & 2x10/100/1000Base-X SFP uplink (Power Budget 300W)	12992
Gigabit Managed POE Switches (Professional Series)			
H	CP-ANW-GPM8F2-N12	10/100/1000 8 Port gigabit Managed PoE with Two SFP Uplink	9142
H	CP-ANW-GPM16F2-N24	10/100/1000 16 Port Managed PoE Switch WITH 2 SFP uplink Ports (Power Budget 240 Watt)	22615
H	CP-ANW-GPM24G4F4-N40	10/100/1000 24 Port Managed PoE Switch with 4 Giga & 4 SFP uplink Ports (Power Budget 400W)	25743
H	CP-ANW-GPM24F4-N40-L3	10/100/1000 24 Port Managed PoE Switch with 4 SFP uplink Ports, L3 POE (Power Budget 400W)	33682
INDUSTRIAL GRADE GIGABIT POE SWITCHES - MANAGED (Professional Series)			
H	CP-ANW-GPM4F2T-N12	Industrial-Grade 4GE+2SFP Gigabit Managed PoE Switch	13954
H	CP-ANW-GPM8F4T-N30	Industrial-Grade 8GE+4SFP Gigabit Managed PoE Switch	17322

Power Supply			
E	CP-DPS-MD50P-12D	POWER SUPPLY; METAL CASING (5 AMP), new	400
E	CP-DPS-MD100P-12D	POWER SUPPLY; METAL CASING (10 AMP), new	560
E	CP-DPS-MD200P-12D	POWER SUPPLY; METAL CASING (20 AMP), new	1100
E	CP-DPS-PD04V3-12D	POWER SUPPLY; PLASTIC CASING (4 CHANNEL), WITH CABLE (NEW)	364
E	CP-DPS-PD08V3-12D	POWER SUPPLY; PLASTIC CASING (8 CHANNEL) WITH CABLE (NEW)	440
E	CP-DPS-PD04V2-12D	POWER SUPPLY; PLASTIC CASING (4 CHANNEL), WITH CABLE	391
E	CP-DPS-PD08V2-12D	POWER SUPPLY; PLASTIC CASING (8 CHANNEL) WITH CABLE	471
E	CP-DPS-PD16V2-12D	POWER SUPPLY; PLASTIC CASING (16 CHANNEL)	919
E	CP-YPS-PD04-52D	Power Supply for 4 port Industrial Grade PoE	2068
E	CP-YPS-PD08-52D	Power Supply for 8 port Industrial Grade PoE	2585
Power Adapter			
E	CP-YPS-PA24B-12DT	2AMP / 12V - Power Adapter without EMI /EMC (2 pin Plug) - BIS	230
E	CP-YPS-PA36B-12DN	3AMP / 12V - Power Adapter with EMI /EMC (3 pin plug) - BIS	433
Cable			
E	CP-ECC-70R	CCTV CABLE 3+1 Co-axial 70m - Economy	997
E	CP-ECC-70RS	CCTV CABLE 3+1 Co-axial 70m - Standard	1032
E	CP-ECC-90R	CCTV CABLE 3+1 Co-axial 90m - Economy	1195
E	CP-ECC-90RS	CCTV CABLE 3+1 Co-axial 90m - Standard	1293
E	CP-ECC-180RS	CCTV CABLE 3+1 Co-axial 180m - Standard	2585
M	CP-ECC-90RM	CCTV CABLE 3+1 Co-axial 90m - Premium	1675
M	CP-ECC-90RSO	CCTV CABLE 3+1 Co-axial 90m - Outdoor	1500
M	CP-ECC-180RSO	CCTV CABLE 3+1 Co-axial 180m- Outdoor	3000
Cat6 Cables (Indoor; Industrial)			
E	CP-EUT-6TGL23-100	CAT6 CABLE 4 PAIR UTP CABLE (100 meters)	2987
E	CP-EUT-6TGL23-305	CAT6 CABLE 4 PAIR UTP 24 AWG CABLE (305 meters)	8846
E	CP-EUT-6TGL-305	CAT6 CABLE 4 PAIR UTP 23 AWG CABLE	10585
E	CP-EUT-6TGLA-305-23 AWG	CAT6 CABLE 4 PAIR UTP 23 AWG CABLE	9593
CAT6 ECO Series			
E	CP-EUT-6TSRH-100	CAT6 CABLE 4 PAIR UTP CABLE (ECO SERIES) (100 Meter)	1149
E	CP-EUT-6TSRH-305	CAT6 CABLE 4 PAIR UTP CABLE (ECO SERIES) (305 Meter)	3100
Outdoor cat6 Cables			
E	CP-EUT-6TSRD-100	CAT6 CABLE 4 PAIR UTP Double Jacket CABLE (ECO SERIES) (100 Meter)	1425
E	CP-EUT-6TSRD-305	CAT6 CABLE 4 PAIR UTP Double Jacket CABLE (ECO SERIES) (305 Meter)	4021
M	CP-EST-6TGD23-100	CAT6 CABLE 4 PAIR UTP CABLE (DOUBLE JACKET)	3408
M	CP-EUT-6TGD23-305	CAT6 CABLE 4 PAIR UTP CABLE (DOUBLE JACKET)	10108
H	CP-EST-6TGA-305	CAT6 CABLE 4 PAIR UTP 23AWG CABLE (ARMORED)	21200
H	CP-EST-6TGA-305V1	CAT6 CABLE 4 PAIR UTP 24AWG CABLE (ARMORED)	17800
E	CP-EUT-6TP1	CAT6 PATCH CORD, UTP, STRANDED 24 AWG (1 METER LENGTH)	140
E	CP-EUT-6TP2	CAT6 PATCH CORD, UTP, STRANDED 24 AWG (2 METER LENGTH)	160
CP PLUS Power Cord			
	CP-RPC-2502	CP PLUS POWER CORD for Power Supply (BIS-certified)	25

Series MODULAR RACKS (VALUE SERIES) - CKD - BARE			
E	CP-HA-RK3535VM-2U	Wall Mount Modular mini Rack 2U Size; with acrylic fiber glass door; Lock n key - (350MM x 350MM)	635
E	CP-HA-RK4535VM-2U	Wall Mount Modular Rack 2U Size; with acrylic fiber glass door; Lock n key - (450MM x 350MM)	790
E	CP-HA-RK4535VM-4U	Wall Mount Modular Rack 4U Size ; with acrylic glass door; Lock n key (450MM x 350MM)	1100
E	CP-HA-RK5535VM-4U	Wall Mount Modular Rack 4U Size ; with toughened glass door; Lock n key (550MM x 350MM)	1280
WELDED RACKS (VALUES SERIES)			
E	CP-HA-RK4535VW-2U	Wall Mount Rack 2U Size; with acrylic fiber glass door ; lock n key & PDU (3 sockets) (450MM x 350MM)	970
E	CP-HA-RK4535VW-3U	Wall Mount Rack 3U size ; with toughened Glass door; Lock n key with Fixed Tray & PDU (3 sockets) (450MM x 350MM)	1120
E	CP-HA-RK5535VW-4UN1P	Wall Mount Rack 4U Size ; with toughened glass door; Lock n key, with PDU 3 Socket (550MM x 350MM)	1500
E	CP-HA-RK5535VW-4U	Wall Mount Rack 4U Size ; toughened glass, with fan, pdu (3 socket), 1U cantilever tray (550mm x 350MM)	2100
HI SIZE RACKS (PREMIUM SERIES) - WELDED			
M	CP-HA-RK5540-4L1	Wallmount 4U 400D With Front Glass Door Lock & Key; toughened glass; cantilever Tray (220 mm width) 1 pc, PDU 5 amp(6 sockets) (550MM x 400MM)	2300
M	CP-TA-RK5540-4U	Wallmount 4U 400D With Front Glass Door Lock & Key; toughened glass; cantilever Tray (220 mm width) 1 pc, PDU 5 amp(6 sockets) (550MM x 400MM)	2300
M	CP-TA-RK5550-6U	13%Wallmount 6U 500D With Front Glass Door Lock & Key; toughened glass; cantilever Tray (220 mm width) 1 pc, PDU 5 amp(6 sockets) + cooling Fan 1 pc (550MM x 500MM)	4100
M	CP-HA-RK5545-6LP	Wallmount 6U 450D With Front Glass Door Lock & Key; toughened glass; cantilever Tray (220 mm width) 1 pc, PDU 5 amp(6 sockets) + cooling Fan 1 pc (550MM x 450MM)	3820
M	CP-TA-RK5550-9U	Wallmount 9U 500D With Front Glass Door Lock & Key; with toughened glass; 1U cantilever Tray (350mm depth)1Pc; cooling Fan 1 Pc; PDU 5AMP, 6 socket - 1pc (550MM x 500MM)	4300
M	CP-TA-RK5563-9U	Wallmount 9U, With Front toughened Glass Door Lock & Key; 1U cantilever Tray 1Pc ; cooling Fan 1 Pc; PDU 5AMP, 6 socket - 1pc. Hardware kit (550MM Width x 630MM depth)	4700
M	CP-PA-RK5563-9U	Wallmount 9U, With Front toughened Glass Door Lock & Key; 1U cantilever Tray 1Pc ; cooling Fan 1 Pc; PDU 5AMP, 6 socket - 1pc. Hardware kit (550MM Width x 630MM depth)	4700
M	CP-TA-RK5563-12UL	Wallmount 12U, With Front toughened Glass Door Lock & Key; Cantilever Tray 1 pc, cable Manager 1 Pc. ; cooling Fan - 1 PC; 6 socket 5AMP PDU 1 pc, hardware kit (550MM width x 630MM depth)	7200
M	CP-HA-RK5550-12L	Wallmount 12U 550D With Front Glass Door Lock & Key; with toughened glass; Cantilever Tray 1 pc, cable Manager 1 Pc. ; cooling Fan - 1 PC; 6 socket PDU 1 pc (550MM x 500MM)	6100
M	CP-HA-RK5550-15L	Wallmount 15U 550D With Front Glass Door Lock & Key; with toughened glass; Cantilever Tray 1 pc, cable Manager 1 Pc. ; cooling Fan - 1 PC; 6 socket PDU 1 pc (550MM x 500MM)	8200
M	CP-BA-RK6080W-24UL	Floor mount 24U-600WX800D With Top & Bottom Cable Entry Provision, Front Glass Door Cam Lock & Key , Rear Metal Door Cam Lock & Key, Removable Side Panel With Slam Latch Cam lock , caster Wheel (Set of 4)-2 with Break & 2 Without break, Adjustable Levelers (Set of 4) Sets 1, one Fixed Shelf-800D , two units 90CFM 230V AC Fan, one HPDU with 6 x 5/15amp India Round pin socket with 16 AMP MCB , one unit 1U Cable Manager With Plastic Loops ,one unit Mounting Hardware Pack of 20 Sets	25000
M	CP-TA-RK6010-42U	Floormount 42U 1000D With Front Glass Door Lock & Key; cantilever tray (2nos); one keyboard tray (1 no); cooling FAN 90 CFM (4 nos) ; vertical PDU with 5 sockets round 5/15 amp (2 no.)and 1U Cable manager (2 units)	43900

HI SIZE RACKS - (PREMIUM SERIES) - CKD - BARE			
M	CP-BA-RK5545M-6U	Wall Mount Modular Rack 6U Size; with Glass Door; Lock n key - (550MM x 450MM)	3200
M	CP-BA-RK5550M-9U	Wall Mount Modular Rack 9U Size; with Glass Door; Lock n key - (550MM x 500MM)	3600
M	CP-BA-RK5550M-12u	Wall Mount Modular Rack 12U Size; with Glass Door; Lock n key - (550MM x 500MM)	4700
OUTDOOR RACKS			
H	CP-BA-RK4535-2UO	Wallmount 2U 350D With Front Metal Door Lock & Key; 0.8mm CRCA Sheet(450MM x 350MM)	2750
H	CP-BA-RK5035-4UO	Wallmount 4U 350D With Front Metal Door Lock & Key; 0.8mm CRCA Sheet(450MM x 350MM)	3900
H	CP-BA-RK5545-6UO	Wallmount 6U 450D with Front Metal Door Lock & Key, Cooling Fan - 1pc, PDU 5AMP, 6 socket - 1 Pc, Cantilever Tray 0.8mm CRCA Sheet(550MM x 450MM)	7100
H	CP-HA-RK5550-9UO	Wallmount 9U IP56 Rated, 550D With Front Metal Door Cam Lock & Key; Cooling Fan - 2pc, PDU 5AMP, 6 socket - 1 Pc,cable glands -2, Cantilever Tray -1 (250mm depth), pole mountin brackets at rear side, iU DIN Rail mounting Panel(550MM x 500MM)	8500
RACKS (LITE SERIES) - WELDED- BARE			
E	CP-HA-RK3535VW-2U-T	Wall Mount Rack 2U Size; with acrylic fiber glass door ; lock n key (350MM x 350MM) -lite series	520
E	CP-HA-RK4535VW-2U-T	Wall Mount Rack 2U Size; with acrylic fiber glass door ; lock n key (450MM x 350MM) -lite series	675
E	CP-HA-RK5535VW-4U-T	Wall Mount Rack 4U Size; with acrylic fiber glass door ; lock n key (550MM x 350MM) -lite series	1080
RACKS (LITE SERIES) - CKD - BARE			
E	CP-HA-RK3535VM-2U-T	Wall Mount Modular mini Rack 9 (LITE) 2U Size; with acrylic fiber glass door; Lock n key - (350MM x 350MM)	490
E	CP-HA-RK4535VM-4U-T	Wall Mount Modular mini Rack (LITE) 4U Size; with acrylic fiber glass door; Lock n key - (450MM x 350MM)	960
RACKS (LITE SERIES) - WELDED WITH PDU			
E	CP-HA-RK3535VW-2U-TP	Wall Mount Rack 2U Size; with acrylic fiber glass door ; lock n key (350MM x 350MM) -lite series, WITH PDU	650
E	CP-HA-RK4535VW-2U-TP	Wall Mount Rack 2U Size; with acrylic fiber glass door ; lock n key (450MM x 350MM) -lite series, WITH PDU	800
E	CP-HA-RK4535VW-3U-TP	Wall Mount Rack 3U Size; with acrylic fiber glass door ; lock n key (450MM x 350MM) -lite series, WITH FIXED TRAY &PDU	900
E	CP-HA-RK5035VW-4U-TP	Wall Mount Rack 4U Size; with acrylic fiber glass door ; lock n key (500MM x 350MM) -lite series, WITH PDU	1150
PoE PVC Racks			
E	CP PVC BOX CP-KA-PE1311T1	POE PVC Rack (wall mount)	600
E	Fan		360
BNC CONNECTORS & DC PIN (SINGLE CONNECTOR)			
E	CP-FA-CB6-20	CP PLUS BNC CONNECTORS (PACK OF 20 BNC W/ CABLES)	13
E	CP-WA-CD7-40	CP PLUS DC PINS (PACK OF 40 DC PINs W/ CABLES)	7

Video Door Phone				
Sr.	Model	Type	Description	SPP
E	CP-UVK-701A	Analog Kit	• 7" TFT screen • Video intercom function: Unlock, voice call, video call, volume adjustment • Quantity of video intercom: 2 door stations + 3 indoor monitors • Multiple bell sounds • Supports digital wide dynamic range (DWDR)	4065
E	CP-UVK-701MTA	Analog Kit	• 7" TFT screen • Video intercom function: Unlock, voice call, video call, volume adjustment, doorway monitoring • Quantity of video intercom: 2 door stations + 3 indoor monitors • Multiple bell sounds • Support digital wide dynamic range (DWDR) • Take snapshots	4295

Time & Attendance (Biometrics)			
E	CP-VTA-T2324U	Finger Print Time Attendance (USB) (Finger Capacity 500; Storage 100K; LCD 4")	2280
M	CP-VTA-F1043	Finger Print Time Attendance (Lan, Cloud, Build in battery) (Finger Capacity 1000; Storage 100K; TFT 2.8")	4670
H	CP-VTA-M1143	Face & Finger Print Time Attendance (Lan, Cloud, Build in battery) (Face : 1000; finger 10K; Storage 200K; 2.8" HVGA Display)	7215

SD Card				
Series	Model	Type	Description	SPP
E	CP-UM64C	Micro SD Card	• 64GB Micro SD Card • 30 MB/s Min Write speed • Capable of Recording 4K/2K Video • Read Speed up to 70MB/s • Read/Write Cycle up to 1000 Cycles • Speed Grade UHS (U3) • Video Speed Class 30	1436
E	CP-UM128C	Micro SD Card	• 128GB Micro SD Card • 30 MB/s Min Write speed • Capable of Recording 4K/2K Video • Read Speed up to 70MB/s • Read/Write Cycle up to 1000 Cycles • Speed Grade UHS (U3) • Video Speed Class 30	2642
M	CP-UM256C	Micro SD Card	• 256GB Micro SD Card • 30 MB/s Min Write speed • Capable of Recording 4K/2K Video • Read Speed up to 70MB/s • Read/Write Cycle up to 1000 Cycles • Speed Grade UHS (U3) • Video Speed Class 30	5700
E	CP-NM64	Micro SD Card	• 64GB Micro SD Card • 30 MB/s Min Write speed • Capable of Recording 4K/2K Video • Read Speed up to 70MB/s • Read/Write Cycle up to 1000 Cycles • Speed Grade UHS (U3) • Video Speed Class 30	1436
E	CP-NM128	Micro SD Card	• 128GB Micro SD Card • 30 MB/s Min Write speed • Capable of Recording 4K/2K Video • Read Speed up to 70MB/s • Read/Write Cycle up to 1000 Cycles • Speed Grade UHS (U3) • Video Speed Class 30	2642
M	CP-NM256	Micro SD Card	• 256GB Micro SD Card • 30 MB/s Min Write speed • Capable of Recording 4K/2K Video • Read Speed up to 70MB/s • Read/Write Cycle up to 1000 Cycles • Speed Grade UHS (U3) • Video Speed Class 30	5700

4G Ezykam			
Series	Model	Description	SPP
E	EZ-M32T	3MP 4G Dome Camera, 4mm Lens, Built-in Mic & Speaker	2015
E	EZ-R33T	3MP 4G Bullet Camera, 4mm Lens, Built-in Mic & Speaker	2015
M	EZ-S35T	3MP 4G PT Camera, 4mm Lens, Built-in Mic & Speaker	2850
H	CP-SL06K	Solar Panel Kit with built-in Battery, 30W Output, Backup 12Hrs approx.	4290

Ezykam			
Model	Type	Description	SPP
CP-E28Q	2MP Wi-Fi PT camera (Indoor)	• 2MP • H.265 • IR Night Vision • Motion Detection • Motion Tracking • 360° view • Human Body Detection • Sound Detection • Siren • Private Mode • Google Home & Alexa • Cloud Recording	1630
CP-E38Q	3MP Wi-Fi PT camera (Indoor)	• 3MP • H.265 • IR Night Vision • Motion Detection • Motion Tracking • 360° view • Human Body Detection • Sound Detection • Siren • Private Mode • Google Home & Alexa • Cloud Recording	1885
CP-E21Q	2MP Wi-Fi PT camera (Indoor)	• 2MP • H.265 • IR Night Vision • Motion Detection • Motion Tracking • 360° view • Human Body Detection • Sound Detection • Siren • Private Mode • LAN Support • Google Home & Alexa • Cloud Recording	1690
CP-E31Q	3MP Wi-Fi PT camera (Indoor)	• 3MP • H.265 • IR Night Vision • Motion Detection • Motion Tracking • 360° view • Human Body Detection • Sound Detection • Siren • Private Mode • LAN Support • Google Home & Alexa • Cloud Recording	1945
CP-E48Q	4MP Wi-Fi PT camera (Indoor)	• 4MP • H.265 • IR Night Vision • Motion Detection • Motion Tracking • 360° view • Human Body Detection • Sound Detection • Siren • Private Mode • LAN Support • Google Home & Alexa • Cloud Recording	2165
CP-E41Q	4MP Wi-Fi PT camera (Indoor)	• 4MP • H.265 • IR Night Vision • Motion Detection • Motion Tracking • 360° view • Human Body Detection • Sound Detection • Siren • Private Mode • LAN Support • Google Home & Alexa • Cloud Recording	2285
CP-Z43Q	4MP Wi-Fi PT camera (Outdoor)	• 4MP • H.265 • Full Color Night Vision • Motion Detection • Motion Tracking • 360° view • Human Body Detection • Sound Detection • Siren • Private Mode • LAN Support • Google Home & Alexa • Cloud Recording	3000
CP-Z45Q	4MP Wi-Fi PT camera (Outdoor)	• 4MP • H.265 • Full Color Night Vision • Motion Detection • Motion Tracking • 360° view • Human Body Detection • Sound Detection • Siren • Private Mode • LAN Support • Google Home & Alexa • Cloud Recording	3065
EZ-P34Q	3MP Wi-Fi PT camera (Indoor)	• 3MP Full Color Wi-Fi PT Camera • H.265 • Color Night Vision • Motion Detection • Motion Tracking • 360° view • Human Body Detection • Two-way communication • Built-in siren • Active deterrence (White light Alarm) • LAN Support • Google Home & Alexa • Cloud Recording	1725
CP-E34Q	3MP Wi-Fi PT camera (Indoor)		1885
CP-E24Q	2MP Wi-Fi PT Camera		1630

CarKam		
Model No.	Specification	SPP
CP-F34 Without H/W Kit	3MP Resolution; Built-in G-Sensor (Emergency Recording) ; Regular Recording ;Support AP Mode ;GPS Enabled ;Support SD Card upto 1TB	3105
CP-H27	2MP resolution, Support 4G/5G SIM, Built-in G-sensor, Two way talk; In-Built GPS; SD card support upto 1TB.	6325
CP-F28B	2MP Front with 2MP Rear Camera Full HD Resolution ; Built-in Display (1.9 Inch) ;Built-in G-Sensor (Emergency Recording) ; Regular Recording ; Support AP Mode ; GPS Enabled ;Support SD Card upto 1TB	5175
CP-H27B	2MP resolution, 2 channel- Front & Rear camera, support 4G/ 5G SIM, Remote viewing, tracking, GPS support, Two-way talk, Access on Ezy Liv+ mobile application	8395
CP-F86C	3 channel; Front camera: 8MP, Rear camera: 2MP, Cabin camera: 2MP, connectivity: AP mode(Dashcam creates its own Wi-Fi hotspot/ Direct Wi-Fi to phone); G-sensor, GPS support, In-built screen (2.45 inch), SD card support upto 1TB; Mobile APP: CarKam (Available for iOS and Android Devices).	12880