

Price List

Nov 2025 (Effective from 15-11-2025)

Products	Go to Page No.
HDTVI Camera	<u>2</u>
DVR – Digital Video Recorder	<u>3</u>
NVR – Network Video Recorder	<u>4</u>
VDP – Video Door Phone	<u>5</u>
Access Control – Attendance System	<u>6</u>
Cable – SMPS – UPS	<u>7</u>
Monitor – Interactive Display	<u>8</u>
Wireless Alarm System	<u>9</u>
Standalone Fire Alarm	<u>10</u>
Car Dash Camera	<u>11</u>
PA System	<u>12</u>

Servius Infotech Private Limited

Bhopal Branch

Plot No 44, , Zone-1, MP Nagar, Bhopal 462011,
Madhya Pradesh
Email : parmar@servius.in
Phone : 0755 - 4203580 | Mobile : 9329929100

Indore Branch

LG – 1 & 2, Silver Sachora Castle
RNT Marg, Indore, Madhya Pradesh
Email : setu.dangi@servius.in
Phone : 0731 - 4963851 | Mobile : 9329929101

2 MEGA PIXEL CAMERA						
MODEL NUMBER	TYPE	FEATURE	IR DISTANCE	LENSE	PRICE	DATA SHEET
DS-2CE5AD0T-ITP/ECO	DOME	NIL	12 IR - 20M	2.8/3.6	₹ 670.00	Datasheet
DS-2CE1AD0T-ITP/ECO	BULLET	NIL	12 IR - 20M	3.6	₹ 730.00	Datasheet
DS-2CE76D0T-ITPFS	DOME	AUDIO	EXIIR - 20M	2.8/3.6	₹ 800.00	Datasheet
DS-2CE16D0T-ITPFS	BULLET	AUDIO	EXIR - 20M	3.6	₹ 890.00	Datasheet
DS-2CE76D0T-LPFS	DOME	AUDIO - HYBRID LIGHT	COLOR - 20M	2.8/3.6	₹ 1,120.00	Datasheet
DS-2CE16D0T-LPFS	BULLET	AUDIO - HYBRID LIGHT	COLOR - 20M	3.6	₹ 1,180.00	Datasheet
DS-2CE70D0T-PTLTS	DOME	TWO WAY AUDIO - HYBRID	PT COLOR - 20M	2.8/3.6	₹ 1,620.00	Datasheet
DS-2CE16D0T-LPTS	BULLET	TWO WAY AUDIO - HYBRID	COLOR - 20M	3.6	₹ 1,520.00	Datasheet
DS-2CE70DF0T-PFS	DOME	COLOR - AUDIO	COLOR - 20M	2.8/3.6	₹ 1,640.00	Datasheet
DS-2CE10DF0T-PFS	BULLET	COLOR - AUDIO	COLOR - 20M	2.6	₹ 1,700.00	Datasheet
DS-2CE18D0T-LFS	BULLET	LAMP - AUDIO	LAMP - 20M	3.6	₹ 1,700.00	Datasheet
2K/5MP/3K MEGA PIXEL CAMERA						
MODEL NUMBER	TYPE	FEATURE	IR DISTANCE	LENSE	PRICE	DATA SHEET
DS-2CE76H0T-ITPFS	DOME	AUDIO, DWDR	EXIR - 20M	2.8/3.6	₹ 1,240.00	Datasheet
DS-2CE16H0T-ITPFS	BULLET	AUDIO, DWDR	EXIR - 20M	3.6	₹ 1,310.00	Datasheet
DS-2CE76G0T-LPFS	DOME	AUDIO - HYBRID LIGHT	EXIR - 20M	2.8/3.6	₹ 1,300.00	Datasheet
DS-2CE16G0T-LPFS	BULLET	AUDIO - HYBRID LIGHT	EXIR - 20M	3.6	₹ 1,380.00	Datasheet
DS-2CE76K0T-LPFS	DOME	AUDIO - HYBRID LIGHT	COLOR - 20M	2.8/3.6	₹ 1,510.00	Datasheet
DS-2CE16K0T-LPFS	BULLET	AUDIO - HYBRID LIGHT	COLOR - 20M	3.6	₹ 1,580.00	Datasheet
DS-2CE78K0T-LTS	DOME	TWO WAY AUDIO - HYBRID	COLOR - 20M	2.8/3.6	₹ 1,820.00	Datasheet
DS-2CE16K0T-LPTS	BULLET	TWO WAY AUDIO - HYBRID	COLOR - 20M	3.6	₹ 1,820.00	Datasheet
DS-2CE70KF0T-PFS	DOME	COLOR - AUDIO, 3K	COLOR - 20M	3.6	₹ 2,190.00	Datasheet
DS-2CE10KF0T-PFS	BULLET	COLOR - AUDIO, 3K	COLOR - 20M	3.6	₹ 2,250.00	Datasheet
Authorized Distributor -		Bhopal Branch			Indore Branch	
Servius Infotech Pvt. Ltd.		Plot No 44, Zone-1 MP Nagar, Bhopal 462011, Madhya Pradesh			LG - 1 & 2, Silver Sachora Castle	
CIN : U72200MP2015PTC034176		Email : parmar@servius.in			RNT Marg, Indore, Madhya Pradesh	
Website : https://www.servius.in		Phone : 0755 - 4203580 Mobile : 9329929100			Email : setu.dangi@servius.in	
					Phone : 0731 - 4963851 Mobile : 9329929101	

ECO SERIES DVR					
MODEL NUMBER	CH	FEATURE	IP	PRICE	DATA SHEET
DS-7104HGHI-M1/T	04-Ch	ECO 720P\1080P Lite 1HDD H.265Pro+ DVR	NIL	₹ 2,150.00	Datasheet
DS-7108HGHI-M1/T	08-Ch	ECO 720P\1080P Lite 1HDD H.265Pro+ DVR	NIL	₹ 3,140.00	Datasheet
DS-7116HGHI-M1/T	16-Ch	ECO 720P\1080P Lite 1HDD H.265Pro+ DVR	NIL	₹ 5,320.00	Datasheet
DS-7232HGHI-M2	32-Ch	ECO 720P\1080P Lite 1HDD H.265Pro+ DVR	2	₹ 18,000.00	Datasheet
3K\5 MP Lite DVR					
MODEL NUMBER	CH	FEATURE	IP	PRICE	DATA SHEET
iDS-7104HQHI-M1/S	04-Ch	3K\5MP Lite 1HDD H.265Pro+ AcuSense	2	₹ 3,440.00	Datasheet
iDS-7204HQHI-M1/XT	04-Ch	3K\5MP Lite 1HDD H.265Pro+ AcuSense, PowerX	2	₹ 4,030.00	Datasheet
iDS-7108HQHI-M1/S	08-Ch	3K\5MP Lite 1HDD H.265Pro+ AcuSense	4	₹ 4,930.00	Datasheet
iDS-7208HQHI-M1/XT	08-Ch	3K\5MP Lite 1HDD H.265Pro+ AcuSense, PowerX	4	₹ 5,840.00	Datasheet
iDS-7208HQHI-M2/XT	08-Ch	3K\5MP Lite 2HDD H.265Pro+ AcuSense, PowerX	4	₹ 8,170.00	Datasheet
iDS-7116HQHI-M1/S	16-Ch	3K\5MP Lite 1HDD H.265Pro+ AcuSense	8	₹ 8,510.00	Datasheet
iDS-7216HQHI-M1/XT	16-Ch	3K\5MP Lite 1HDD H.265Pro+ AcuSense, PowerX	8	₹ 10,110.00	Datasheet
iDS-7216HQHI-M2/XT	16-Ch	3K\5MP Lite 2HDD H.265Pro+ AcuSense, PowerX	8	₹ 13,430.00	Datasheet
iDS-7232HQHI-M2/XT	32-Ch	3K\5MP Lite 2HDD H.265Pro+ AcuSense, PowerX	8	₹ 22,200.00	Datasheet
5MP\8MP MP DVR					
MODEL NUMBER	CH	FEATURE	IP	PRICE	DATA SHEET
iDS-7204HUHI-M1/X	04-Ch	5MP\8MP 1HDD H.265Pro+ AcuSense, PowerX	4	₹ 5,040.00	Datasheet
iDS-7208HUHI-M1/X	08-Ch	5MP\8MP 1HDD H.265Pro+ AcuSense, PowerX	8	₹ 8,120.00	Datasheet
iDS-7216HUHI-M2/X	16-Ch	5MP\8MP 2HDD H.265Pro+ AcuSense, PowerX	16	₹ 14,500.00	Datasheet
Authorized Distributor -		Bhopal Branch		Indore Branch	
Servius Infotech Pvt. Ltd.		Plot No 44, Zone-1,		LG - 1 & 2, Silver Sachora Castle	
CIN : U72200MP2015PTC034176		MP Nagar, Bhopal 462011, Madhya Pradesh		RNT Marg, Indore, Madhya Pradesh	
Website : https://www.servius.in		Email : parmar@servius.in		Email : setu.dangi@servius.in	
		Phone : 0755 - 4203580 Mobile : 9329929100		Phone : 0731 - 4963851 Mobile : 9329929101	

Q - SERIES				
MODEL NUMBER	CH	FEATURE	PRICE	DATA SHEET
DS-7104NI-Q1/M	04-Ch	1 HDD H.265+ NVR, Recomonded for 2MP Camera	₹ 3,450.00	Datasheet
DS-7108NI-Q1/M	08-Ch	1 HDD H.265+ NVR, Recomonded for 2MP Camera	₹ 4,100.00	Datasheet
DS-7116NI-Q1/M	16-Ch	1 HDD H.265+ NVR, Recomonded for 2MP Camera	₹ 5,600.00	Datasheet
DS-7604NI-Q1	04-Ch	1 HDD H.265+ NVR, Recomonded for 4MP Camera	₹ 5,000.00	Datasheet
DS-7608NI-Q1	08-Ch	1 HDD H.265+ NVR, Recomonded for 4MP Camera	₹ 5,550.00	Datasheet
DS-7608NI-Q2	08-Ch	2 HDD H.265+ NVR, Recomonded for 4MP Camera	₹ 6,700.00	Datasheet
DS-7616NI-Q1	16-Ch	1 HDD H.265+ NVR, Recomonded for 4MP Camera	₹ 6,200.00	Datasheet
DS-7616NI-Q2	16-Ch	2 HDD H.265+ NVR, Recomonded for 4MP Camera	₹ 8,000.00	Datasheet

K - SERIES				
MODEL NUMBER	CH	FEATURE	PRICE	DATA SHEET
DS-7604NXI-K1	04-Ch	1 HDD H.265+ NVR, Recomonded for 6MP Camera	₹ 6,350.00	Datasheet
DS-7608NXI-K1	08-Ch	1 HDD H.265+ NVR, Recomonded for 6MP Camera	₹ 6,950.00	Datasheet
DS-7608NXI-K2	08-Ch	2 HDD H.265+ NVR, Recomonded for 6MP Camera	₹ 9,000.00	Datasheet
DS-7616NXI-K1	16-Ch	1 HDD H.265+ NVR, Recomonded for 6MP Camera	₹ 8,350.00	Datasheet
DS-7616NXI-K2	16-Ch	2 HDD H.265+ NVR, Recomonded for 6MP Camera	₹ 9,950.00	Datasheet
DS-7716NXI-K4	16-Ch	4 HDD H.265+ NVR, Recomonded for 6MP Camera	₹ 19,500.00	Datasheet
DS-7632NXI-K2	32-Ch	2 HDD H.265+ NVR, Recomonded for 6MP Camera	₹ 12,000.00	Datasheet
DS-7732NXI-K4	32-Ch	4 HDD H.265+ NVR, Recomonded for 6MP Camera	₹ 24,500.00	Datasheet
DS-7764NI-M4	64-Ch	4 HDD H.265+ NVR, Recomonded for 6MP Camera	₹ 33,500.00	Datasheet

Authorized Distributor -

Servius Infotech Pvt. Ltd.

CIN : U72200MP2015PTC034176

Website : <https://www.servius.in>**Bhopal Branch**Plot No 44, Zone-1, MP Nagar, Bhopal 462011,
Madhya PradeshEmail : parmar@servius.in

Phone : 0755 - 4203580 | Mobile : 9329929100

Indore BranchLG - 1 & 2, Silver Sachora Castle
RNT Marg, Indore, Madhya PradeshEmail : setu.dangi@servius.in

Phone : 0731 - 4963851 | Mobile : 9329929101

VIDEO DOOR PHONE				
MODEL NUMBER		FEATURE	PRICE	DATA SHEET
DS-KIS205T		4-wire analog video intercom bundle for villa or house One call button for easier calls Including DS-KB2411T-IM and DS-KH2220, 5-meter 4-wire cable, and other accessories	₹ 4,600.00	Datasheet
DS-KIS212		4-Wire HD Video Intercom Kit HD TVI video quality, Plug & play, One-press to call One-press to unlock the door Support Max 2 door stations and 3 indoor stations in one system	₹ 4,350.00	Datasheet
DS-KH2220-S		4-wire analog indoor station 7-inch TFT screen with 800 × 480 resolution Physical buttons design for easier operation Supports three indoor stations cascading in the intercom system Supports remote unlocking, monitoring door station and external analog camera Supports captured picture storage	₹ 2,900.00	Datasheet
DS-KIS603-P(C)		7-inch colorful touch screen Access control functions Storage in the TF card Remote unlocking via the client software or the mobile client Supports wireless network	₹ 11,850.00	Datasheet
DS-KIS602		7-inch colorful touch screen Storage in the TF card Remote unlocking via the client software or the mobile client Views live videos of door stations and linked cameras Supports wireless network Access control function Fisheye camera with IR supplement light	₹ 14,990.00	Datasheet
DS-KH6320-WTE1		7-inch colorful touch screen Storage in the TF card Remote unlocking via the client software or the mobile client Views live videos of door stations and linked cameras Supports wireless network	₹ 5,500.00	Datasheet
DS-KH6350-WTE1		7-inch colorful touch screen Storage in the TF card Remote unlocking via the client software or the mobile client Views live videos of door stations and linked cameras Supports wireless network	₹ 5,600.00	Datasheet
DS-KV6113-WPE1(C)		2 MP camera with IR supplement One-touch button calling design for easier calls Built-in card reader module IP65 protection level	₹ 5,500.00	Datasheet
DS-KD8003-IME1(B)		2MP HD Colorful Camera, Fish eye , IR Supplement 1 Call physical Button, 2 lock relays, 4-ch alarm input IP65 Protection Level	₹ 8,800.00	Datasheet
DS-KV8413-WME1(C)		2 MP HD camera, Low illumination Access control functions 2.4 GHz Wi-Fi Protection level: IK08	₹ 8,900.00	Datasheet

Authorized Distributor -

Servius Infotech Pvt. Ltd.

CIN : U72200MP2015PTC034176

Website : <https://www.servius.in>**Bhopal Branch**

Plot No 44, Zone-1, MP Nagar, Bhopal 462011, Madhya Pradesh

Email : parmar@servius.in

Phone : 0755 - 4203580 | Mobile : 9329929100

Indore Branch

LG - 1 & 2, Silver Sachora Castle

RNT Marg, Indore, Madhya Pradesh

Email : setu.dangi@servius.in

Phone : 0731 - 4963851 | Mobile : 9329929101

ATTENDANCE SYSTEM



Model Selection : (E) - EM Card | (M) - Mifare Card | (F) - Fingerprint | (W) - WiFi | (B) - Battery

MODEL NUMBER		FEATURE	PRICE	DATA SHEET
DS-K1A8503EF		* 2.4-inch LCD screen to display time, date, week, and attendance information * TCP/IP communication	₹ 2,800.00	Datasheet
DS-K1A8503EF-B			₹ 3,200.00	Datasheet
DS-K1T320EWX		* 2.4-inch LCD screen, 2 MP lens * Multiple authentication methods, including face, fingerprint, card, and PIN, etc * Supports EM card, Mifare Card * Max. 500 faces, 1,000 cards, 1,000 fingerprints and 100,000 events * Face recognition duration < 0.2 s/User * Supports ISAPI and ISUP 5.0 protocols * Configuration via the web client	₹ 3,700.00	Datasheet
DS-K1T320EFWX			₹ 4,350.00	Datasheet
DS-K1T320EFWX-B			₹ 5,400.00	Datasheet
DS-K1A340WX		* Local time attendance; Remote time attendance via web browser * 4.3-inch touch screen and 2 MP camera * Face anti-spoofing; Face recognition distance: 0.3m to 1.5m * Face recognition duration < 0.2 s/User; face recognition accuracy rate ≥ 99% * Deep learning algorithm, Multiple authentication modes * 1500 face capacity, 3000 fingerprint capacity, and 300,000 attendance records * Export registered face pictures and events from device via USB interface * Manage, search and set device data after logging in the device locally * Light supplement in the dark environment	₹ 5,400.00	Datasheet
DS-K1A340FWX			₹ 6,300.00	Datasheet
DS-K1T343MWX		Max.1500 faces capacity, Max.3000 fingerprints capacity, and Max.3000 cards Face Recognition Terminal, 4.3-inch LCD touch screen 2 Mega pixel wide-angle lens,Built-in Mifare card reading module Two-way audio with client software indoor station, and main station; Supports TCP/IP, Wi-Fi Supports ISAPI, ISUP5.0, Configuration via the web client Face Recognition Distance: 0.3 m to 1.5 m Duration < 0.2 s/User, Accuracy rate ≥ 99%, Supports mask recognition	₹ 6,200.00	Datasheet
DS-K1T343EWX			₹ 6,200.00	Datasheet
DS-K1T343EFWX			₹ 7,200.00	Datasheet
DS-K1T343MFWX			₹ 7,200.00	Datasheet
DS-K1T342EFWX		* Max.1500 faces capacity, Max.3000 fingerprints capacity, and Max.3000 cards * Face Recognition Terminal, 4.3-inch LCD touch screen, * 2 Mega pixel wide-angle lens,Built-in Mifare card reading module * Two-way audio with client software * indoor station, and main station; Supports TCP/IP, Wi-Fi, Supports ISAPI, ISUP5.0 * Configuration via the web client, Face Recognition Distance: 0.3 m to 1.5 m * Duration < 0.2 s/User, Accuracy rate ≥ 99%, Supports mask recognition	₹ 10,050.00	Datasheet
DS-K1T342MFWX			₹ 10,050.00	Datasheet

Authorized Distributor -

Servius Infotech Pvt. Ltd.
 CIN : U72200MP2015PTC034176
 Website : <https://www.servius.in>

Bhopal Branch
 Plot No 44, Zone-1 MP Nagar, Bhopal 462011,
 Madhya Pradesh
 Email : parmar@servius.in
 Phone : 0755 - 4203580 | Mobile : 9329929100

Indore Branch
 LG - 1 & 2, Silver Sachora Castle
 RNT Marg, Indore, Madhya Pradesh
 Email : setu.dangi@servius.in
 Phone : 0731 - 4963851 | Mobile : 9329929101

SMPS & CABLES																																			
MODEL NUMBER		TYPE	FEATURE	PRICE	DATA SHEET																														
DS-2FA1205-DW-IN		5 AMP SMPS	BIS Approved Highly Integrated SMPS Switcher I.C Design Surge Protection, Over Temperature Protection Over Current, Over Voltage & Over Load Protection High-efficiency, low energy Consumption	₹ 450.00	Datasheet																														
DS-2FA120A-DW-IN		10 AMP SMPS	Low Ripple Voltage (mV P-P): <5% Works under low voltages and protects high voltage where linear fails Wall Mountable/ Desktop Type with wall hanging hook.	₹ 620.00	Datasheet																														
DS-2FA120K-DW-IN		20 AMP SMPS	Inbuilt cooling fan for better heat dissipation. Covered Input AC & Output DC terminals for safety purpose. Compact size, lightweight & shock proof. Screw type block terminals for easy installation.	₹ 990.00	Datasheet																														
DS-UPS600(IND)		600VA Offline UPS	1pc 12V/7AH internal batteries Transfer time: DC to AC ≤10 ms; AC to DC ≤10 ms Rechargeable typical recharge time: 10 to 16 hours	₹ 2,000.00	Datasheet																														
DS-UPS1000(IND)		1KVA Offline UPS		₹ 3,000.00	Datasheet																														
DS-3WR3X-1		Wi-Fi USB Adapter	Support Wi-Fi 6 Drive-free installation, plug and play Compatible and adaptable with Hikvision DVR	₹ 380.00	Datasheet																														
DS-1LH1SCA3C-090B		90 Meter Roll RG59	RG59 coaxial cable with power cable Conductor material of Coaxial cable is Bare copper Braiding material of Coaxial cable is Copper clad aluminum magnesium Conductor material of power cable is Bare copper Excellent anti-interference performance Excellent anti-aging performance	₹ 1,840.00	Datasheet																														
DS-1LH1SCAM593C		180 Meter Roll RG59		₹ 3,600.00	Datasheet																														
DS-1LN6U-W/CCA		305 Meter Cat 6 CCA	<table><tr><td rowspan="2">Conductor</td><td>Material</td><td colspan="2">CCA (Copper content: 27%)</td></tr><tr><td>Nom.O.D.(mm)</td><td>0.585</td><td>up +0.01 down -0.01</td></tr><tr><td rowspan="2">Insulation</td><td>Material</td><td colspan="2">Solid HDPE</td></tr><tr><td>Diameter</td><td colspan="2">1.05±0.05mm</td></tr><tr><td rowspan="4">Sheath</td><td>Thickness</td><td colspan="2">0.50±0.05 mm</td></tr><tr><td>External O.D.</td><td colspan="2">6.0±0.30 mm</td></tr><tr><td>Surface</td><td colspan="2">Clean, Frap, Satiation</td></tr><tr><td>Material</td><td colspan="2">FR-PVC(Complies RoHS)</td></tr><tr><td>Color</td><td colspan="2">White RAL9003</td></tr></table>	Conductor	Material	CCA (Copper content: 27%)		Nom.O.D.(mm)	0.585	up +0.01 down -0.01	Insulation	Material	Solid HDPE		Diameter	1.05±0.05mm		Sheath	Thickness	0.50±0.05 mm		External O.D.	6.0±0.30 mm		Surface	Clean, Frap, Satiation		Material	FR-PVC(Complies RoHS)		Color	White RAL9003		₹ 4,200.00	Datasheet
Conductor	Material	CCA (Copper content: 27%)																																	
	Nom.O.D.(mm)	0.585	up +0.01 down -0.01																																
Insulation	Material	Solid HDPE																																	
	Diameter	1.05±0.05mm																																	
Sheath	Thickness	0.50±0.05 mm																																	
	External O.D.	6.0±0.30 mm																																	
	Surface	Clean, Frap, Satiation																																	
	Material	FR-PVC(Complies RoHS)																																	
Color	White RAL9003																																		
DS-1LN6UZC0		305 Meter Cat 6 Copper	<table><tr><td rowspan="2">Conductor</td><td>Material</td><td>Solid-Bare Copper (99.95%)</td></tr><tr><td>Diameter</td><td>0.50 ± 0.01 mm</td></tr><tr><td rowspan="2">Insulation</td><td>Material</td><td>HDPE</td></tr><tr><td>Diameter</td><td>0.88 ± 0.05 mm</td></tr><tr><td rowspan="4">Sheath</td><td>Thickness</td><td>0.50 ± 0.05 mm</td></tr><tr><td>Diameter</td><td>5.30 ± 0.50 mm</td></tr><tr><td>Material</td><td>PVC</td></tr><tr><td>Color</td><td>Grey、Orange</td></tr></table>	Conductor	Material	Solid-Bare Copper (99.95%)	Diameter	0.50 ± 0.01 mm	Insulation	Material	HDPE	Diameter	0.88 ± 0.05 mm	Sheath	Thickness	0.50 ± 0.05 mm	Diameter	5.30 ± 0.50 mm	Material	PVC	Color	Grey、Orange	₹ 7,200.00	Datasheet											
Conductor	Material	Solid-Bare Copper (99.95%)																																	
	Diameter	0.50 ± 0.01 mm																																	
Insulation	Material	HDPE																																	
	Diameter	0.88 ± 0.05 mm																																	
Sheath	Thickness	0.50 ± 0.05 mm																																	
	Diameter	5.30 ± 0.50 mm																																	
	Material	PVC																																	
	Color	Grey、Orange																																	
DS-1LN6U-G		305 Meter Cat 6 Copper	<table><tr><td rowspan="2">Conductor</td><td>Material</td><td>Solid-Bare Copper (99.95%)</td></tr><tr><td>Diameter</td><td>0.55 ± 0.005 mm, 23 AWG</td></tr><tr><td rowspan="2">Insulation</td><td>Material</td><td>HDPE</td></tr><tr><td>Diameter</td><td>0.98 ± 0.05 mm</td></tr><tr><td rowspan="4">Sheath</td><td>Thickness</td><td>0.50 ± 0.10 mm</td></tr><tr><td>Diameter</td><td>6.00 ± 0.30 mm</td></tr><tr><td>Material</td><td>PVC</td></tr><tr><td>Color</td><td>Grey</td></tr></table>	Conductor	Material	Solid-Bare Copper (99.95%)	Diameter	0.55 ± 0.005 mm, 23 AWG	Insulation	Material	HDPE	Diameter	0.98 ± 0.05 mm	Sheath	Thickness	0.50 ± 0.10 mm	Diameter	6.00 ± 0.30 mm	Material	PVC	Color	Grey	₹ 8,990.00	Datasheet											
Conductor	Material	Solid-Bare Copper (99.95%)																																	
	Diameter	0.55 ± 0.005 mm, 23 AWG																																	
Insulation	Material	HDPE																																	
	Diameter	0.98 ± 0.05 mm																																	
Sheath	Thickness	0.50 ± 0.10 mm																																	
	Diameter	6.00 ± 0.30 mm																																	
	Material	PVC																																	
	Color	Grey																																	

Authorized Distributor -

Servius Infotech Pvt. Ltd.
CIN : U72200MP2015PTC034176
Website : <https://www.servius.in>

Bhopal Branch
Plot No 44, Zone-1, MP Nagar, Bhopal 462011, Madhya Pradesh
Email : parmar@servius.in
Phone : 0755 - 4203580 | Mobile : 9329929100

Indore Branch
LG - 1 & 2, Silver Sachora Castle
RNT Marg, Indore, Madhya Pradesh
Email : setu.dangi@servius.in
Phone : 0731 - 4963851 | Mobile : 9329929101

SMPS & CABLES					
MODEL NUMBER		TYPE	FEATURE	PRICE	DATA SHEET
DS-D5022QE-D		22 Inch CCTV Monitor	LED backlit technology with full HD 1920 x 1080 Wide view angle: 178°(H)/178°(V) Multiply inputs: HDMI, VGA 3D comb filter, 3D De-interlace 3D noise reduction VESA stand bracket High reliability and stability, 24/7 operation Green energy: Enter standby mode while no signal input	₹ 4,250.00	Datasheet
DS-D5032QE		32 Inch CCTV Monitor	8 bit LVDS FHD (1920 × 1080) display. 178° ultra-wide view screen. Auto signal input Detection Dual interface of HDMI and VGA.	₹ 10,900.00	Datasheet
DS-D5043QE		43 Inch CCTV Monitor	Support VESA wall mount. Built-in speaker High reliability and stability, 24/7 operation	₹ 19,000.00	Datasheet
DS-D5B65RB/EL		65-inch 4K Interactive Display 8/128	UHD 4K display with resolution of 3840 × 2160. Anti-glare and anti-blocking design to ensure smooth interaction. Dual systems of Android and Windows (optional) saving cost and easy to use, video conference software are recommended to run under Windows system.	₹ 80,900.00	Datasheet
DS-D5B75RB/EL		75-inch 4K Interactive Display 8/128	Quick response, at most 40-point touch controls and smooth writing experience.	₹ 1,01,000.00	Datasheet
DS-D5B86RB/EL		86-inch 4K Interactive Display 8/128	Multi-button design in front, convenient for classroom use. Compatible with OPS/OPS-C devices, realizing smooth switch between built-in systems.	₹ 1,36,400.00	Datasheet

Authorized Distributor -

Servius Infotech Pvt. Ltd.
CIN : U72200MP2015PTC034176
Website : <https://www.servius.in>

Bhopal Branch

Plot No 44, Zone-1, MP Nagar, Bhopal 462011, Madhya Pradesh
Email : parmar@servius.in
Phone : 0755 - 4203580 | Mobile : 9329929100

Indore Branch

LG - 1 & 2, Silver Sachora Castle
RNT Marg, Indore, Madhya Pradesh
Email : setu.dangi@servius.in
Phone : 0731 - 4963851 | Mobile : 9329929101

Wireless Alarm System				
MODEL NUMBER	PICTURE	FEATURE	PRICE	DATA SHEET
DS-PWA64-Kit-WB		Wireless 64 Zone Control Panel (WiFi, 2G, Ethernet)	₹ 11,400.00	Datasheet
DS-PWA96-Kit-WB		Wireless 96 Zone Control Panel (WiFi, 4G, Ethernet)	₹ 15,200.00	Datasheet
DS-PDMC-EG2-WB		Wireless Magnetic Contact	₹ 1,450.00	Datasheet
DS-PDP15P-EG2-WB		Wireless PIR Detector	₹ 2,100.00	Datasheet
DS-PDSMK-S-WB		Wireless Photoelectric Smoke Detector	₹ 3,230.00	Datasheet
DS-PDTPH-E-WB		Wireless Temperature Detector	₹ 2,560.00	Datasheet
DS-PDWL-E-WB		Wireless Water Leak Detector	₹ 1,900.00	Datasheet
DS-PR1-WB		Wireless Repeater	₹ 4,370.00	Datasheet
DS-PDEB1-EG2-WB		Wireless Emergency Button	₹ 1,090.00	Datasheet
DS-PS1-I-WB		Wireless Internal Sounder	₹ 2,620.00	Datasheet
DS-PS1-E-WB		Wireless External Sounder	₹ 4,180.00	Datasheet
DS-PM1-O1H-WB		Wireless Wall Switch	₹ 1,800.00	Datasheet
DS-PDBG8-EG2-WB		Wireless Vibration Sensor	₹ 2,120.00	Datasheet

Authorized Distributor -

Servius Infotech Pvt. Ltd.CIN : U72200MP2015PTC034176
Website : <https://www.servius.in>**Bhopal Branch**Plot No 44, Zone-1, MP Nagar, Bhopal 462011,
Madhya Pradesh
Email : parmar@servius.in
Phone : 0755 - 4203580 | Mobile : 9329929100**Indore Branch**LG - 1 & 2, Silver Sachora Castle
RNT Marg, Indore, Madhya Pradesh
Email : setu.dangi@servius.in
Phone : 0731 - 4963851 | Mobile : 9329929101

STANDALONE FIRE ALARM					
MODEL NUMBER		TYPE	FEATURE	PRICE	DATA SHEET
HF-S2E		Standalone Smoke Detector	Photoelectric smoke alarm can sense and detect the smoke, fire, etc., and send out sounder strobe alarm signals, which is widely used in shops, residences, hotels, rentals and other independent scenes.	₹ 730.00	Datasheet
HF-S2			Alarm indicating buzzer, sound level ≥ 85dB@3 m Battery life: 3 years (AA × 2), easy to replace Supports multiple alarm types: low battery alarm, maze dirty alarm Supports self-check function to verify whether the device is working properly Supports silence and reset locally Support IO alarm in Model HF-S2	₹ 880.00	Datasheet
NP-FY200		Standalone Smoke & Heat Detector	Dual-light sensing technology for reducing false alarm caused by vapor. Alarm indicating buzzer, sound level ≥ 85 dB @ 3 m (A-Weighted). Powered by lithium battery, long battery life under normal operation. Supports test feature to verify whether the device is working properly. Supports multiple alarm types: low voltage alarm, tampering alarm, maze dirty alarm. Constant temperature alarm/Differential temperature alarm. Supports remote control to silence the alarm.	₹ 2,290.00	Datasheet
HF-GM100		Standalone Carbon Monoxide Detector	Advanced electrochemical CO sensor technology Digital temperature compensation technology Low battery warning Anti-RF interference LCD back light, visible in the dark (Optional) Hush mode: silence an unwanted Detector	₹ 2,220.00	Datasheet
HF-GP110		Standalone GAS Detector	The Standalone Liquefied Petroleum Gas Alarm provides the users an early alert, when the natural gas leakage in the protected area reaches the alarm concentration	₹ 1,790.00	Datasheet
HF-GN110			Support multiple function, alarm, test, silence, fault and malfunction. Support log saving function, record alarm, alarm recovery, fault, fault recovery, sensor failure and other types of logs. Support valve output and fan output LGP Detector : HF-GP110 PNG Detector : HF-GN110	₹ 1,790.00	Datasheet
Authorized Distributor - Servius Infotech Pvt. Ltd. CIN : U72200MP2015PTC034176 Website : https://www.servius.in			Bhopal Branch Plot No 44, Zone-1, MP Nagar, Bhopal 462011, Madhya Pradesh Email : parmar@servius.in Phone : 0755 - 4203580 Mobile : 9329929100 Indore Branch LG - 1 & 2, Silver Sachora Castle RNT Marg, Indore, Madhya Pradesh Email : setu.dangi@servius.in Phone : 0731 - 4963851 Mobile : 9329929101		

CAR DASH CAMERA					
MODEL NUMBER	IMAGE	Model	FEATURE	PRICE	DATA SHEET
AE-DC2018-K2		K2	- Up to 1080P HD camera with horizontal 102° wide angle, diagonal 122°. - Support built-in MIC and speaker for audio in and out. - Communication: Built-in Wi-Fi module. - Supports TF card storage (Max.128GB) and recording overwrite. - Phone App: live view, record playback and parameter configuration. - Built-in G-Sensor module, support video recording linkage at car crash or strong vibration. (Linkage video record can be configured be no-overwritten)	₹ 1,850.00	Datasheet
AE-DC4018-D1PRO		D1	Up to 1440P high resolution, with horizontal 102.6° wide angle, diagonal 121.8°. Support built-in MIC and speaker for audio in and out. Built-in WIFI module and WIFI AP function supported. TF card for video recording, up to 256GB. (Overwriting supported) Built-in G-Sensor module, support video recording linkage at car crash or strong vibration. (Linkage video record can be configured be no-overwritten) Phone App: live view, record playback and parameter configuration.	₹ 2,599.00	Datasheet
AE-DC5013-F6PRO		F6 PRO	- High Resolution Up to True 1600p (2560 x 1600) - Wide Field of View, 130° Diagonal, 109° Horizontal - f/1.6 Large Aperture for Crisp Night Imaging - Microphone and Speaker - Wi-Fi AP Module - GPS - G-Sensor Module - MicroSD Card Up to 128 GB Supported - Phone App for Setup, Live View, Recording, Search, Backup, etc. - Voice Control and ADAS (Advanced Driver Assistant System) Supported	₹ 5,950.00	Datasheet
AE-DC2328-C200S		C200S(2ch)	Up to 1080P high resolution, with horizontal 107° wide angle, diagonal 128°. F2.0 super large aperture offer a perfect night image. Support built-in MIC and speaker for audio in and out. Display: 3 inches IPS screen, Resolution: 360*640. Built-in WIFI module and WIFI AP function supported. Built-in G-Sensor module, support video recording linkage at car crash or strong vibration. (Linkage video record can be configured be no-overwritten) TF card for video recording, up to 256GB. (Overwriting supported) Phone App: live view, record playback and parameter configuration. Easy installation and user friendly, plug and play. (Automatically recording after power on) Low power consumption and high performance.	₹ 4,000.00	Datasheet
AE-DC8012-C8		C8 (2Ch.)	Up to 2160P high resolution, with horizontal 118° wide angle, diagonal 143°. F1.75 super large aperture offer a perfect night image. Support built-in MIC and speaker for audio in and out. Built-in WIFI module and WIFI AP function supported. Built-in G-Sensor module, support video recording linkage at car crash or strong vibration. (Linkage video record can be configured be no-overwritten) Support GPS module with speed display and route tracking playback. TF card for video recording, 32GB to 256GB (Overwriting supported) Phone App: live view, record playback and parameter configuration. Voice recognition supported : Snapshot, Recording on, Recording off. ADAS supported: "Traffic light turn green", "Speed limit recognition", "Front car start remind". Easy installation and user friendly, plug and play. (Automatically recording after power on) Low power consumption and high performance.	₹ 8,300.00	Datasheet

Authorized Distributor -

Servius Infotech Pvt. Ltd.
 CIN : U72200MP2015PTC034176
 Website : <https://www.servius.in>

Bhopal Branch
 Plot No 44, Zone-1, MP Nagar, Bhopal 462011, Madhya Pradesh
 Email : parmar@servius.in
 Phone : 0755 - 4203580 | Mobile : 9329929100

Indore Branch
 LG - 1 & 2, Silver Sachora Castle
 RNT Marg, Indore, Madhya Pradesh
 Email : setu.dangi@servius.in
 Phone : 0731 - 4963851 | Mobile : 9329929101

Audio System					
MODEL NUMBER	IMAGE	Model	FEATURE	PRICE	DATA SHEET
DS-QAE0A60G1-VB		Analog Amplifier 60W 2 Zone	Support four types of audio input: Bluetooth, USB flash drive, microphone, and RCA, with flexible and convenient operation Built-in Bluetooth module, support fast Bluetooth playback Support plugging in the USB flash drive to play audio sources Support independent microphone volume control and two-channel partition volume control Support two-channel audio mixing output Adopt high-strength engineering plastics, sturdy and durable Integrated functional design, convenient and reliable	₹ 5,520.00	Datasheet
DS-QAE0A120G1-VB6		Analog Amplifier 120W 2 Zone	120W Analog Amplifier 6 Zone 2-AUR in 2 Mic in	₹ 15,300.00	Datasheet
DS-QAE0A240G1-VB6		Analog Amplifier 240W 2 Zone	1-EMC in 1-RCA Out	₹ 19,380.00	Datasheet
DS-QAE0MG0G1		Gooseneck Paging Microphone	High SNR sound inlet basket with balanced frequency response. Features a high-sensitivity, low-noise preamp for clear long-distance speech capture and quality audio transmission. The flexible gooseneck allows easy angle adjustment, while the integrated design prevents shaking and poor contact. A droplet-shaped pickup reduces sound field interference. Supports 12V DC and 48V phantom power with voltage adaptive technology.	₹ 4,290.00	Datasheet
DS-QAE0203G1-V		Analog Ceiling Speaker 3W	Adopting a composite paper fiber sound basin, the sound quality is clear and bright	₹ 550.00	Datasheet
DS-QAE0206G1-V		Analog Ceiling Speaker 6W	With the design of powerful steel spring clamp, the installation is fast and safe Support ceiling mounting installation with a simple appearance	₹ 600.00	Datasheet
DS-QAE0330G1T-V		Analog Horn Speaker 30W	High sensitivity and high sound, long transmission distance Multiple power levels are optional IP65	₹ 1,740.00	Datasheet
DS-QAE0120G1R		Analog Cabinet Speaker 20W	By using U-brackets, the installation surface angle can be adjusted for convenient installation Support horizontal and vertical installation Available in two Color (Black, White)	₹ 3,230.00	Datasheet
DS-QAE0420G1-V		Analog Column Speaker 20W	The speaker unit adopts aerospace magnetic, imported adhesive coating, and lightweight sound film design, with high sensitivity, bright sound, and long transmission distance Adopt professional engineering reinforced plastics with high strength By using L-brackets, the installation surface angle can be adjusted for convenient installation Professional integrated design, supporting IP66 waterproof, with a simple and beautiful appearance	₹ 3,650.00	Datasheet

Authorized Distributor -

Servius Infotech Pvt. Ltd.

CIN : U72200MP2015PTC034176

Website : <https://www.servius.in>**Bhopal Branch**

Plot No 44, Zone-1, MP Nagar, Bhopal 462011, Madhya Pradesh

Email : parmar@servius.in

Phone : 0755 - 4203580 | Mobile : 9329929100

Indore Branch

LG - 1 & 2, Silver Sachora Castle

RNT Marg, Indore, Madhya Pradesh

Email : setu.dangi@servius.in

Phone : 0731 - 4963851 | Mobile : 9329929101